

Préceptorat en accès veineux périphériques échoguidés (AVPE)

À qui s'adresse cette formation?

Cette formation s'adresse aux infirmières, aux médecins et aux résidents qui ont suivi la formation **Accès veineux Périphériques (AVPE)** ou **Techniques échoguidées du département d'urgence (TÉDU)**.

Objectifs d'apprentissage

Le préceptorat est le moyen le plus efficace pour améliorer ses habiletés en échoguidage. Cette formation permet d'atteindre l'objectif de 10 accès veineux périphériques réussis.

Pour qu'une technique soit considérée comme réussie, le participant devra positionner adéquatement son patient et la machine, générer une image standardisée de qualité, respecter les règles d'asepsie et suivre le biseau de façon optimale tout au long de la procédure. (Pour plus d'informations et pour vous préparer adéquatement, veuillez vous référer à la checklist de l'instructeur à l'annexe A)


Format de la formation

Accompagné de votre instructeur qui vous est dédié, vous installez les accès veineux des patients qui en ont besoin sur le département d'urgence de l'Hôpital Charles-Le Moyne, un des plus grands centres en termes de débit au Québec.


Coûts de la formation

Le tarif pour le préceptorat est fixé à 45 \$/h qui sera remis à l'instructeur à la fin de la journée. Des frais administratifs de 50 \$ par journée de formation seront chargés pour réserver votre journée avec l'instructeur.

Processus d'inscription et de préparation



ANNEXE A : CHECKLIST DE L'INSTRUCTEUR

	CANADIAN POINT OF CARE ULTRASOUND SOCIETY UPVA Practical Exam	v. Sept 22, 2019
Candidate: _____ Examiner: _____ Date: _____		
Mark <input checked="" type="checkbox"/> if Yes or minor prompt required Mark <input checked="" type="checkbox"/> if No or major prompt required		Score: <input type="checkbox"/> Pass (all <input checked="" type="checkbox"/> <input type="checkbox"/> Fail (one or more <input checked="" type="checkbox"/> Additional scans: _____

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="background-color: #e0e0e0;">1. PRE-SCAN PREPARATION</th> </tr> <tr> <td colspan="2" style="background-color: #e0e0e0;">"Please gather the materials required to perform the ultrasound-guided peripheral venous access (UPVA) technique."</td> </tr> <tr><td><input type="checkbox"/></td><td>Probe cover</td></tr> <tr><td><input type="checkbox"/></td><td>Sterile gel</td></tr> <tr><td><input type="checkbox"/></td><td>Tourniquet</td></tr> <tr><td><input type="checkbox"/></td><td>Chlorhexidine-based disinfectant</td></tr> <tr><td><input type="checkbox"/></td><td>Catheter</td></tr> <tr><td><input type="checkbox"/></td><td>Dressing to secure catheter (Opsite or Tegaderm)</td></tr> <tr> <td colspan="2" style="background-color: #e0e0e0;">"Please prepare the patient and the ultrasound machine for the UPVA technique."</td> </tr> <tr><td><input type="checkbox"/></td><td>Greets and identifies patient</td></tr> <tr><td><input type="checkbox"/></td><td>Demonstrates professional manner and attitude</td></tr> <tr><td><input type="checkbox"/></td><td>Washes hands</td></tr> <tr><td><input type="checkbox"/></td><td>Wears gloves</td></tr> <tr><td><input type="checkbox"/></td><td>Positions patient correctly</td></tr> <tr><td><input type="checkbox"/></td><td>Drapes / covers patient appropriately</td></tr> <tr><td><input type="checkbox"/></td><td>Places tourniquet adequately</td></tr> <tr><td><input type="checkbox"/></td><td>Selects correct probe</td></tr> <tr><td><input type="checkbox"/></td><td>Cleans probe</td></tr> <tr><td><input type="checkbox"/></td><td>Chooses correct preset (if applicable)</td></tr> <tr> <th colspan="2" style="background-color: #e0e0e0;">2. EXAM LANDMARKS / ANATOMY</th> </tr> <tr> <td colspan="2" style="background-color: #e0e0e0;">"What is the external landmark /starting point for mapping the veins?"</td> </tr> <tr><td><input type="checkbox"/></td><td>1-2 cm above the patient's antecubital fossa</td></tr> <tr> <td colspan="2" style="background-color: #e0e0e0;">"Please perform a mapping of the patient's venous system."</td> </tr> <tr><td><input type="checkbox"/></td><td>Holds the probe adequately</td></tr> <tr><td><input type="checkbox"/></td><td>Acquires the best possible images adjusting depth and gain</td></tr> <tr><td><input type="checkbox"/></td><td>Uses graded compression to differentiate vein vs artery</td></tr> <tr><td><input type="checkbox"/></td><td>Identifies humerus, basilic vein, cephalic vein, brachial artery, brachial veins</td></tr> <tr><td><input type="checkbox"/></td><td>Searches for the best vein in both upper extremities +/- legs (great saphenous vein)</td></tr> <tr> <td colspan="2" style="background-color: #e0e0e0;">"Please identify the 3 criteria of an adequate vein for cannulation?"</td> </tr> <tr><td><input type="checkbox"/></td><td>Depth < 1.5 cm</td></tr> <tr><td><input type="checkbox"/></td><td>Length 1 cm</td></tr> <tr><td><input type="checkbox"/></td><td>Sub Diameter > 3mm</td></tr> </table>	1. PRE-SCAN PREPARATION		"Please gather the materials required to perform the ultrasound-guided peripheral venous access (UPVA) technique."		<input type="checkbox"/>	Probe cover	<input type="checkbox"/>	Sterile gel	<input type="checkbox"/>	Tourniquet	<input type="checkbox"/>	Chlorhexidine-based disinfectant	<input type="checkbox"/>	Catheter	<input type="checkbox"/>	Dressing to secure catheter (Opsite or Tegaderm)	"Please prepare the patient and the ultrasound machine for the UPVA technique."		<input type="checkbox"/>	Greets and identifies patient	<input type="checkbox"/>	Demonstrates professional manner and attitude	<input type="checkbox"/>	Washes hands	<input type="checkbox"/>	Wears gloves	<input type="checkbox"/>	Positions patient correctly	<input type="checkbox"/>	Drapes / covers patient appropriately	<input type="checkbox"/>	Places tourniquet adequately	<input type="checkbox"/>	Selects correct probe	<input type="checkbox"/>	Cleans probe	<input type="checkbox"/>	Chooses correct preset (if applicable)	2. EXAM LANDMARKS / ANATOMY		"What is the external landmark /starting point for mapping the veins?"		<input type="checkbox"/>	1-2 cm above the patient's antecubital fossa	"Please perform a mapping of the patient's venous system."		<input type="checkbox"/>	Holds the probe adequately	<input type="checkbox"/>	Acquires the best possible images adjusting depth and gain	<input type="checkbox"/>	Uses graded compression to differentiate vein vs artery	<input type="checkbox"/>	Identifies humerus, basilic vein, cephalic vein, brachial artery, brachial veins	<input type="checkbox"/>	Searches for the best vein in both upper extremities +/- legs (great saphenous vein)	"Please identify the 3 criteria of an adequate vein for cannulation?"		<input type="checkbox"/>	Depth < 1.5 cm	<input type="checkbox"/>	Length 1 cm	<input type="checkbox"/>	Sub Diameter > 3mm	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="background-color: #e0e0e0;">3. EXAM PERFORMANCE</th> </tr> <tr> <td colspan="2" style="background-color: #e0e0e0;">"Please perform the UPVA technique in "short" axis describing the different steps as you go."</td> </tr> <tr><td><input type="checkbox"/></td><td>Disinfects locally (both probe & skin)</td></tr> <tr><td><input type="checkbox"/></td><td>Applies gel appropriately</td></tr> <tr><td><input type="checkbox"/></td><td>Confirms the vessel's direction</td></tr> <tr><td><input type="checkbox"/></td><td>Centers the probe on the vessel</td></tr> <tr><td><input type="checkbox"/></td><td>Orients probe correctly according to vessel's depth</td></tr> <tr><td><input type="checkbox"/></td><td>Minimises dead space</td></tr> <tr><td><input type="checkbox"/></td><td>Follows the needle tip, and readjusts angle as it goes down</td></tr> <tr><td><input type="checkbox"/></td><td>Recognizes the blood flash back</td></tr> <tr><td><input type="checkbox"/></td><td>Puts the probe down</td></tr> <tr><td><input type="checkbox"/></td><td>Changes the angle appropriately</td></tr> <tr><td><input type="checkbox"/></td><td>Cannulates the vessel</td></tr> <tr> <td><input type="checkbox"/></td> <td style="background-color: #e0e0e0;">"Please confirm proper catheter placement."</td> </tr> <tr><td><input type="checkbox"/></td><td>Uses traditional methods of confirmation</td></tr> <tr><td><input type="checkbox"/></td><td>Uses the US in longitudinal to visualise the catheter</td></tr> <tr> <td><input type="checkbox"/></td> <td style="background-color: #e0e0e0;">"Please secure the catheter."</td> </tr> <tr><td><input type="checkbox"/></td><td>Cleans the patient's skin of remaining gel</td></tr> <tr><td><input type="checkbox"/></td><td>Uses an appropriate dressing to secure catheter (Opsite or Tegaderm)</td></tr> <tr><td><input type="checkbox"/></td><td>Makes 1-2 loops with the tubing</td></tr> <tr><td><input type="checkbox"/></td><td>Uses other methods to prevent dislodgement in an agitated patient (plank behind the elbow, immobilisation...)</td></tr> <tr> <th colspan="2" style="background-color: #e0e0e0;">4. GLOBAL IMAGE GENERATION</th> </tr> <tr><td><input type="checkbox"/></td><td>Has good probe control / grip</td></tr> <tr><td><input type="checkbox"/></td><td>Has good scan technique</td></tr> <tr><td><input type="checkbox"/></td><td>Generates good images</td></tr> <tr><td><input type="checkbox"/></td><td>Scans efficiently / at correct speed</td></tr> <tr><td><input type="checkbox"/></td><td>Holds needle comfortably</td></tr> <tr><td><input type="checkbox"/></td><td>Performs technique in proper sequence and with fluidity</td></tr> <tr> <th colspan="2" style="background-color: #e0e0e0;">5. POST-EXAM PROCEDURES</th> </tr> <tr> <td colspan="2" style="background-color: #e0e0e0;">"Please describe / demonstrate what you would do after your examination is complete."</td> </tr> <tr><td><input type="checkbox"/></td><td>Removes probe cover</td></tr> <tr><td><input type="checkbox"/></td><td>Wipes gel / debris from probe and disinfects</td></tr> <tr><td><input type="checkbox"/></td><td>Returns probe(s) to storage holder</td></tr> <tr><td><input type="checkbox"/></td><td>Returns machine to storage station</td></tr> <tr><td><input type="checkbox"/></td><td>Plugs in machine for charging</td></tr> <tr><td><input type="checkbox"/></td><td>Removes all sharps</td></tr> </table>	3. EXAM PERFORMANCE		"Please perform the UPVA technique in "short" axis describing the different steps as you go."		<input type="checkbox"/>	Disinfects locally (both probe & skin)	<input type="checkbox"/>	Applies gel appropriately	<input type="checkbox"/>	Confirms the vessel's direction	<input type="checkbox"/>	Centers the probe on the vessel	<input type="checkbox"/>	Orients probe correctly according to vessel's depth	<input type="checkbox"/>	Minimises dead space	<input type="checkbox"/>	Follows the needle tip, and readjusts angle as it goes down	<input type="checkbox"/>	Recognizes the blood flash back	<input type="checkbox"/>	Puts the probe down	<input type="checkbox"/>	Changes the angle appropriately	<input type="checkbox"/>	Cannulates the vessel	<input type="checkbox"/>	"Please confirm proper catheter placement."	<input type="checkbox"/>	Uses traditional methods of confirmation	<input type="checkbox"/>	Uses the US in longitudinal to visualise the catheter	<input type="checkbox"/>	"Please secure the catheter."	<input type="checkbox"/>	Cleans the patient's skin of remaining gel	<input type="checkbox"/>	Uses an appropriate dressing to secure catheter (Opsite or Tegaderm)	<input type="checkbox"/>	Makes 1-2 loops with the tubing	<input type="checkbox"/>	Uses other methods to prevent dislodgement in an agitated patient (plank behind the elbow, immobilisation...)	4. GLOBAL IMAGE GENERATION		<input type="checkbox"/>	Has good probe control / grip	<input type="checkbox"/>	Has good scan technique	<input type="checkbox"/>	Generates good images	<input type="checkbox"/>	Scans efficiently / at correct speed	<input type="checkbox"/>	Holds needle comfortably	<input type="checkbox"/>	Performs technique in proper sequence and with fluidity	5. POST-EXAM PROCEDURES		"Please describe / demonstrate what you would do after your examination is complete."		<input type="checkbox"/>	Removes probe cover	<input type="checkbox"/>	Wipes gel / debris from probe and disinfects	<input type="checkbox"/>	Returns probe(s) to storage holder	<input type="checkbox"/>	Returns machine to storage station	<input type="checkbox"/>	Plugs in machine for charging	<input type="checkbox"/>	Removes all sharps
1. PRE-SCAN PREPARATION																																																																																																																																									
"Please gather the materials required to perform the ultrasound-guided peripheral venous access (UPVA) technique."																																																																																																																																									
<input type="checkbox"/>	Probe cover																																																																																																																																								
<input type="checkbox"/>	Sterile gel																																																																																																																																								
<input type="checkbox"/>	Tourniquet																																																																																																																																								
<input type="checkbox"/>	Chlorhexidine-based disinfectant																																																																																																																																								
<input type="checkbox"/>	Catheter																																																																																																																																								
<input type="checkbox"/>	Dressing to secure catheter (Opsite or Tegaderm)																																																																																																																																								
"Please prepare the patient and the ultrasound machine for the UPVA technique."																																																																																																																																									
<input type="checkbox"/>	Greets and identifies patient																																																																																																																																								
<input type="checkbox"/>	Demonstrates professional manner and attitude																																																																																																																																								
<input type="checkbox"/>	Washes hands																																																																																																																																								
<input type="checkbox"/>	Wears gloves																																																																																																																																								
<input type="checkbox"/>	Positions patient correctly																																																																																																																																								
<input type="checkbox"/>	Drapes / covers patient appropriately																																																																																																																																								
<input type="checkbox"/>	Places tourniquet adequately																																																																																																																																								
<input type="checkbox"/>	Selects correct probe																																																																																																																																								
<input type="checkbox"/>	Cleans probe																																																																																																																																								
<input type="checkbox"/>	Chooses correct preset (if applicable)																																																																																																																																								
2. EXAM LANDMARKS / ANATOMY																																																																																																																																									
"What is the external landmark /starting point for mapping the veins?"																																																																																																																																									
<input type="checkbox"/>	1-2 cm above the patient's antecubital fossa																																																																																																																																								
"Please perform a mapping of the patient's venous system."																																																																																																																																									
<input type="checkbox"/>	Holds the probe adequately																																																																																																																																								
<input type="checkbox"/>	Acquires the best possible images adjusting depth and gain																																																																																																																																								
<input type="checkbox"/>	Uses graded compression to differentiate vein vs artery																																																																																																																																								
<input type="checkbox"/>	Identifies humerus, basilic vein, cephalic vein, brachial artery, brachial veins																																																																																																																																								
<input type="checkbox"/>	Searches for the best vein in both upper extremities +/- legs (great saphenous vein)																																																																																																																																								
"Please identify the 3 criteria of an adequate vein for cannulation?"																																																																																																																																									
<input type="checkbox"/>	Depth < 1.5 cm																																																																																																																																								
<input type="checkbox"/>	Length 1 cm																																																																																																																																								
<input type="checkbox"/>	Sub Diameter > 3mm																																																																																																																																								
3. EXAM PERFORMANCE																																																																																																																																									
"Please perform the UPVA technique in "short" axis describing the different steps as you go."																																																																																																																																									
<input type="checkbox"/>	Disinfects locally (both probe & skin)																																																																																																																																								
<input type="checkbox"/>	Applies gel appropriately																																																																																																																																								
<input type="checkbox"/>	Confirms the vessel's direction																																																																																																																																								
<input type="checkbox"/>	Centers the probe on the vessel																																																																																																																																								
<input type="checkbox"/>	Orients probe correctly according to vessel's depth																																																																																																																																								
<input type="checkbox"/>	Minimises dead space																																																																																																																																								
<input type="checkbox"/>	Follows the needle tip, and readjusts angle as it goes down																																																																																																																																								
<input type="checkbox"/>	Recognizes the blood flash back																																																																																																																																								
<input type="checkbox"/>	Puts the probe down																																																																																																																																								
<input type="checkbox"/>	Changes the angle appropriately																																																																																																																																								
<input type="checkbox"/>	Cannulates the vessel																																																																																																																																								
<input type="checkbox"/>	"Please confirm proper catheter placement."																																																																																																																																								
<input type="checkbox"/>	Uses traditional methods of confirmation																																																																																																																																								
<input type="checkbox"/>	Uses the US in longitudinal to visualise the catheter																																																																																																																																								
<input type="checkbox"/>	"Please secure the catheter."																																																																																																																																								
<input type="checkbox"/>	Cleans the patient's skin of remaining gel																																																																																																																																								
<input type="checkbox"/>	Uses an appropriate dressing to secure catheter (Opsite or Tegaderm)																																																																																																																																								
<input type="checkbox"/>	Makes 1-2 loops with the tubing																																																																																																																																								
<input type="checkbox"/>	Uses other methods to prevent dislodgement in an agitated patient (plank behind the elbow, immobilisation...)																																																																																																																																								
4. GLOBAL IMAGE GENERATION																																																																																																																																									
<input type="checkbox"/>	Has good probe control / grip																																																																																																																																								
<input type="checkbox"/>	Has good scan technique																																																																																																																																								
<input type="checkbox"/>	Generates good images																																																																																																																																								
<input type="checkbox"/>	Scans efficiently / at correct speed																																																																																																																																								
<input type="checkbox"/>	Holds needle comfortably																																																																																																																																								
<input type="checkbox"/>	Performs technique in proper sequence and with fluidity																																																																																																																																								
5. POST-EXAM PROCEDURES																																																																																																																																									
"Please describe / demonstrate what you would do after your examination is complete."																																																																																																																																									
<input type="checkbox"/>	Removes probe cover																																																																																																																																								
<input type="checkbox"/>	Wipes gel / debris from probe and disinfects																																																																																																																																								
<input type="checkbox"/>	Returns probe(s) to storage holder																																																																																																																																								
<input type="checkbox"/>	Returns machine to storage station																																																																																																																																								
<input type="checkbox"/>	Plugs in machine for charging																																																																																																																																								
<input type="checkbox"/>	Removes all sharps																																																																																																																																								

Comments: _____

1

© Canadian Point of Care Ultrasound Society 2018
All rights reserved